



## MJIC x MNPT HYDRAULIC ADAPTERS - 2404

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3001	2404-4-2 1/4" MJ x 1/8" MPT
39-3002	2404-4-4 1/4" MJ x 1/4" MPT
39-3003	2404-4-6 1/4" MJ x 3/8" MPT
39-3004	2404-5-4 5/16" MJ x 1/4" MPT
39-3005	2404-5-6 5/16" MJ x 3/8" MPT
39-3006	2404-6-4 3/8" MJ x 1/4" MPT
39-3007	2404-6-6 3/8" MJ x 3/8" MPT
39-3008	2404-6-8 3/8" MJ x 1/2" MPT
39-3009	2404-8-4 1/2" MJ x 1/4" MPT
39-3010	2404-8-6 1/2" MJ x 3/8" MPT
39-3011	2404-8-8 1/2" MJ x 1/2" MPT
39-3191	2404-8-12 1/2" MJ x 3/4" MPT
39-3012	2404-10-8 5/8" MJ x 1/2" MPT
39-3013	2404-10-12 5/8" MJ x 3/4" MPT
39-3014	2404-12-8 3/4" MJ x 1/2" MPT



39-3015	2404-12-12 3/4" MJ x 3/4" MPT
39-3016	2404-12-16 3/4" MJ x 1" MPT
39-3017	2404-16-12 1" MJ x 3/4" MPT
39-3018	2404-16-16 1" MJ x 1" MPT
39-3019	2404-16-20 1" MJ x 1-1/4" MPT
39-3020	2404-20-16 1-1/4" MJ x 1" MPT
39-3021	2404-20-20 1-1/4" MJ x 1-1/4" MPT
39-3022	2404-20-24 1-1/4" MJ x 1-1/2" MPT
39-3023	2404-24-24 1-1/2" MJ x 1-1/2" MPT
39-3095	2404-32-24 2" MJ x 1-1/2" MPT
39-3024	2404-32-32 2" MJ x 2" MPT

Available in carbon and stainless steel.

## MJIC x FNPT HYDRAULIC ADAPTERS - 2405

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3096	2405-4-2 1/4" MJ x 1/8" FP
39-3097	2405-4-4 1/4" MJ x 1/4" FP
39-3098	2405-4-6 1/4" MJ x 3/8" FP
39-3099	2405-6-4 3/8" MJ x 1/4" FP
39-3214	2405-6-6 3/8" MJ x 3/8" FP
39-3025	2405-6-8 3/8" MJ x 1/2" FP
39-3026	2405-8-6 1/2" MJ x 3/8" FP



39-3027	2405-8-8 1/2" MJ x 1/2" FP
39-4051	2405-10-8 5/8" MJ x 1/2" FP
39-4104	2405-10-12 5/8" MJ x 3/4" FP
39-4105	2405-12-8 3/4" MJ x 1/2" FP
39-4106	2405-12-12 3/4" MJ x 3/4" FP
39-4107	2405-12-16 3/4" MJ x 1" FP
39-4108	2405-16-16 1" MJ x 1" FP
39-4109	2405-16-20 1" MJ x 1-1/4" FP
39-4110	2405-20-20 1-1/4" MJ x 1-1/4" FP
39-4111	2405-24-24 1-1/2" MJ x 1-1/2" FP
39-4112	2405-32-32 2" MJ x 2" FP

Available in steel and stainless steel through 2".

## MJIC x MALE JIC HYDRAULIC ADAPTERS - 2403

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3310	2403-4-4 1/4" MJ x 1/4" MJ
39-3311	2403-4-5 1/4" MJ x 5/16" MJ
39-3312	2403-5-5 5/16" MJ x 5/16" MJ
39-3313	2403-5-6 5/16" MJ x 3/8" MJ
39-3399	2403-6-6 3/8" MJ x 3/8" MJ
39-3314	2403-6-8 3/8" MJ x 1/2" MJ



39-3315	2403-8-8 1/2" MJ x 1/2" MJ
39-3316	2403-10-8 5/8" MJ x 1/2" MJ
39-3211	2403-10-10 5/8" MJ x 5/8" MJ
39-3317	2403-10-12 5/8" MJ x 3/4" MJ
39-3318	2403-12-8 3/4" MJ x 1/2" MJ
39-3212	2403-12-12 3/4" MJ x 3/4" MJ
39-3319	2403-12-16 3/4" MJ x 1" MJ
39-3320	2403-16-16 1" MJ x 1" MJ
39-3321	2403-16-20 1" MJ x 1-1/4" MJ
39-3322	2403-20-20 1-1/4" MJ x 1-1/4" MJ
39-3323	2403-24-24 1-1/2" MJ x 1-1/2" MJ
39-3324	2403-32-32 2" MJ x 2" MJ

Available in carbon and stainless steel.

## MJIC x MALE O-RING BOSS HYDRAULIC ADAPTERS - 6400

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3094	6400-4-4 1/4" MJ x 1/4" MOB
39-3083	6400-4-5 1/4" MJ x 5/16" MOB
39-3084	6400-5-5 5/16" MJ x 5/16" MOB
39-3085	6400-5-6 5/16" MJ x 3/8" MOB
39-3086	6400-6-5 3/8" MJ x 5/16" MOB

39-3087	6400-6-6 3/8" MJ x 3/8" MOB
39-3192	6400-6-8 3/8" MJ x 1/2" MOB
39-3088	6400-8-8 1/2" MJ x 1/2" MOB
39-3192	6400-8-6 1/2" MJ x 3/8" MOB
39-3089	6400-10-10 5/8" MJ x 5/8" MOB
39-3083	6400-10-8 5/8" MJ x 1/2" MOB
39-3284	6400-10-12 5/8" MJ x 3/4" MOB
39-3285	6400-12-8 3/4" MJ x 1/2" MOB
39-3090	6400-12-12 3/4" MJ x 3/4" MOB
39-3286	6400-12-16 3/4" MJ x 1" MOB
39-3091	6400-16-16 1" MJ x 1" MOB
39-3143	6400-16-20 1" MJ x 1-1/4" MOB
39-3287	6400-20-20 1-1/4" MJ x 1-1/4" MOB
39-3288	6400-20-24 1-1/4" MJ x 1-1/2" MOB
39-3289	6400-24-24 1-1/2" MJ x 1-1/2" MOB
39-3290	6400-24-32 1-1/2" MJ x 2" MOB
39-3291	6400-32-32 2" MJ x 2" MOB



Available in carbon and stainless steel.

## MALE O-RING BOSS x MNPT HYDRAULIC ADAPTERS - 6401

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-4094	6401-4-4 1/4" MOB x 1/4" MP
39-4196	6401-4-6 1/4" MOB x 3/8" MP
39-4197	6401-5-6 5/16" MOB x 3/8" MP
39-4095	6401-6-4 3/8" MOB x 1/4" MP
39-4198	6401-6-6 3/8" MOB x 3/8" MP
39-3189	6401-8-6 1/2" MOB x 3/8" MP
39-4199	6401-10-8 5/8" MOB x 1/2" MP
39-4200	6401-10-8 5/8" MOB x 1/2" MP
39-4201	6401-12-8 3/4" MOB x 1/2" MP
39-4202	6401-12-12 3/4" MOB x 3/4" MP
39-4203	6401-12-16 3/4" MOB x 1" MP
39-4204	6401-16-16 1" MOB x 1" MP
39-4205	6401-16-20 1" MOB x 1-1/4" MP
39-4206	6401-20-20 1-1/4" MOB x 1-1/4" MP
39-4207	6401-24-24 1-1/2" MOB x 1-1/2" MP
39-4208	6401-32-32 2" MOB x 2" MP



Available in carbon and stainless steel.

## MALE O-RING BOSS x FNPT HYDRAULIC ADAPTERS - 6405

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3121	6405-4-4 1/4" MOB x 1/4" FP
39-3131	6405-6-4 3/8" MOB x 1/4" FP
39-3292	6405-6-6 3/8" MOB x 3/8" FP
39-3293	6405-8-8 1/2" MOB x 1/2" FP
39-3294	6405-10-8 5/8" MOB x 1/2" FP
39-3295	6405-10-12 5/8" MOB x 3/4" FP
39-3296	6405-12-8 3/4" MOB x 1/2" FP
39-3297	6405-12-12 3/4" MOB x 3/4" FP
39-3298	6405-12-16 3/4" MOB x 1" FP
39-3299	6405-16-16 1" MOB x 1" FP
39-3300	6405-16-20 1" MOB x 1-1/4" FP
39-3301	6405-20-20 1-1/4" MOB x 1-1/4" FP
39-3302	6405-24-24 1-1/2" MOB x 1-1/2" FP
39-3303	6405-32-32 2" MOB x 2" FP



Available in carbon and stainless steel.

## MJIC x MNPT 45° HYDRAULIC ADAPTERS - 2503

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3049	2503-4-2 1/4" MJ x 1/8" MP 45°
39-3050	2503-4-4 1/4" MJ x 1/4" MP 45°
39-4049	2503-4-6 1/4" MJ x 3/8" MP 45°

39-3100	2503-6-4 3/8" MJ x 1/4" MP 45°
39-3051	2503-6-6 3/8" MJ x 3/8" MP 45°
39-3193	2503-8-4 1/2" MJ x 1/4" MP 45°
39-3093	2503-8-8 1/2" MJ x 1/2" MP 45°
39-4052	2503-10-8 5/8" MJ x 1/2" MP 45°
39-4053	2503-10-12 5/8" MJ x 3/4" MP 45°
39-4054	2503-12-8 3/4" MJ x 1/2" MP 45°
39-3052	2503-12-12 3/4" MJ x 3/4" MP 45°
39-3053	2503-16-16 1" MJ x 1" MP 45°
39-3054	2503-20-20 1-1/4" MJ x 1-1/4" MP 45°
39-4050	2503-20-24 1-1/4" MJ x 1-1/2" MP 45°
39-3055	2503-24-24 1-1/2" MJ x 1-1/2" MP 45°
39-4055	2503-32-32 2" MJ x 2" MP 45°



Available in steel and stainless steel through 2".

## MJIC x MNPT 90° HYDRAULIC ADAPTERS - 2501

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3028	2501-4-2 1/4" MJ x 1/8" MP 90°
39-3029	2501-4-4 1/4" MJ x 1/4" MP 90°
39-3030	2501-4-6 1/4" MJ x 3/8" MP 90°
39-3031	2501-6-4 3/8" MJ x 1/4" MP 90°
39-3032	2501-6-6 3/8" MJ x 3/8" MP 90°






39-3201	2501-6-12 3/8" MJ x 3/4" MP 90°
39-3033	2501-8-8 1/2" MJ x 1/2" MP 90°
39-3194	2501-8-12 1/2" MJ x 3/4" MP 90°
39-4034	2501-10-8 5/8" MJ x 1/2" MP 90°
39-4035	2501-10-12 5/8" MJ x 3/4" MP 90°
39-4036	2501-12-8 3/4" MJ x 1/2" MP 90°
39-3092	2501-12-12 3/4" MJ x 3/4" MP 90°
39-4037	2501-12-16 3/4" MJ x 1" MP 90°
39-3034	2501-16-16 1" MJ x 1" MP 90°
39-3208	2501-16-20 1" MJ x 1-1/4" MP 90°
39-3035	2501-20-20 1-1/4" MJ x 1-1/4" MP 90°
39-3036	2501-24-24 1-1/2" MJ x 1-1/2" MP 90°
39-4038	2501-32-32 2" MJ x 2" MP 90°

Available in carbon and stainless steel.

## MJIC x FNPT 900 HYDRAULIC ADAPTERS - 2502

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3037	2502-4-2 1/4" MJ x 1/8" FP 90°
39-3038	2502-4-4 1/4" MJ x 1/4" FP 90°
39-3039	2502-4-6 1/4" MJ x 3/8" FP 90°
39-3040	2502-6-4 3/8" MJ x 1/4" FP 90°
39-3041	2502-6-6 3/8" MJ x 3/8" FP 90°



39-3042	2502-8-6 1/2" MJ x 3/8" FP 90°
39-3043	2502-8-8 1/2" MJ x 1/2" FP 90°
39-3343	2502-10-8 5/8" MJ x 1/2" FP 90°
39-3344	2502-10-12 5/8" MJ x 3/4" FP 90°
39-3345	2502-12-8 3/4" MJ x 1/2" FP 90°
39-3044	2502-12-12 3/4" MJ x 3/4" FP 90°
39-3045	2502-12-16 3/4" MJ x 1" FP 90°
39-3046	2502-16-16 1" MJ x 1" FP 90°
39-3047	2502-20-20 1-1/4" MJ x 1-1/4" FP 90°
39-3048	2502-24-24 1-1/2" MJ x 1-1/2" FP 90°
39-3346	2502-32-32 2" MJ x 2" FP 90°

Available in carbon and stainless steel.

## MJIC x MALE O-RING BOSS 90° HYDRAULIC ADAPTERS - 6801

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3352	6801-4-4 1/4" MJ x 1/4" MOB 900
39-3353	6801-4-6 1/4" MJ x 3/8" MOB 900
39-3354	6801-5-6 5/16" MJ x 3/8" MOB 900
39-3199	6801-6-4 3/8" MJ 1/4" MOB 900
39-3145	6801-6-6 3/8" MJ x 3/8" MOB 900

39-3148

6801-6-8 3/8" MJ x 1/2" MOB 900



39-3147

6801-6-10 3/8" MJ x 5/8" MOB 900

39-3146

6801-8-8 1/2" MJ x 1/2" MOB 900

39-3355

6801-12-8 3/4" MJ x 1/2" MOB 900

39-3356

6801-12-12 3/4" MJ x 3/4" MOB 900

39-3357

6801-12-16 3/4" MJ x 1" MOB 900

39-3149

6801-16-16 1" MJ x 1" MOB 900

39-3210

6801-16-20 1" MJ x 1-1/4" MOB 900

39-3153

6801-24-20 1-1/2" MJ x 1-1/4" MOB 900

39-3152

6801-24-24 1-1/2" MJ x 1-1/2" MOB 900

39-3358

6801-32-32 2" MJ x 2" MOB 900

Available in carbon and stainless steel.

# 90° STREET ELBOWS HYDRAULIC ADAPTERS - 5502

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3256	5502-4-4 1/4" MP x 1/4" FP 90°
39-3257	5502-4-6 1/4" MP x 3/8" FP 90°
39-3258	5502-6-4 3/8" MP x 1/4" FP 90°
39-3200	5502-6-6 3/8" MP x 3/8" FP 90°
39-3259	5502-6-8 3/8" MP x 1/2" FP 90°
39-3254	5502-8-8 1/2" MP x 1/2" FP 90°
39-3260	5502-12-12 3/4" MP x 3/4" FP 90°
39-3261	5502-16-16 1" MP x 1" FP 90°
39-3262	5502-16-20 1" MP x 1-1/4" FP 90°
39-3263	5502-20-20 1-1/4" MP x 1-1/4" FP 90°
39-3264	5502-24-24 1-1/2" MP x 1-1/2" FP 90°
39-3265	5502-32-32 2" MP x 2" FP 90°



Available in carbon and stainless steel.

# STEEL HEX REDUCING BUSHING - 5406

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3332	5406-4-2 1/4" MP x 1/8" FP
39-3333	5406-6-4 3/8" MP x 1/4" FP
39-3334	5406-8-4 1/2" MP x 1/4" FP
39-3335	5406-8-6 1/2" MP x 3/8" FP
39-3336	5406-12-8 3/4" MP x 1/2" FP
39-3337	5406-16-12 1" MP x 3/4" FP
39-3195	5406-20-4 1-1/4" MP x 1/4" FP
39-3205	5406-20-16 1-1/4" MP x 1" FP
39-3338	5406-32-24 2" MP x 1-1/2" FP
39-3339	5406-32-20 2" MP x 1-1/4" FP



Available in carbon and stainless steel.

# STEEL HEX EXPANDING BUSHING - 5405

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3359	5405-4-4 1/4" MP x 1/4" FP
39-3234	5405-4-6 1/4" MP x 3/8" FP
39-3235	5405-4-12 1/4" MP x 3/4" FP
39-3360	5405-6-6 3/8" MP x 3/8" FP
39-3361	5405-6-8 3/8" x 1/2" FP
39-3362	5405-6-12 3/8" MP x 3/4" FP
39-3363	5405-8-8 1/2" MP x 1/2" FP
39-3364	5405-8-12 1/2" MP x 3/8" FP
39-3365	5405-8-16 1/2" MP x 1" FP
39-3366	5405-12-12 3/4" MP x 3/4" FP
39-3367	5405-12-16 1" MP x 3/4" FP
39-3368	5405-16-16 1" MP x 1" FP
39-3369	5405-16-20 1" MP x 1-1/4" FP
39-3370	5405-20-20 1-1/4" MP x 1-1/4" FP
39-3371	5405-20-24 1-1/4" MP x 1-1/2" FP
39-3372	5405-24-32 1-1/2" MP x 2" FP



Available in carbon and stainless steel.

# MALE PIPE HEX NIPPLE HYDRAULIC ADAPTERS

## - 5404

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3253	5404-4-4 1/4" MP x 1/4" MP
39-4255	5404-6-4 3/8" MP x 1/4" MP
39-3252	5404-6-6 3/8" MP x 3/8" MP
39-3251	5404-8-8 1/2" MP x 1/2" MP
39-4256	5404-12-8 3/4" MP x 1/2" MP
39-3250	5404-12-12 3/4" MP x 3/4" MP
39-4257	5404-16-12 1" MP x 3/4" MP
39-4258	5404-16-16 1" MP x 1" MP
39-4259	5404-20-16 1-1/4" MP x 1" MP
39-4260	5404-20-20 1-1/4" MP x 1-1/4" MP
39-4261	5404-24-24 1-1/2" MP x 1-1/2" MP
39-4262	5404-32-32 2" MP x 2" MP



Available in carbon and stainless steel.

# FEMALE PIPE COUPLING HYDRAULIC ADAPTERS - 5000

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3249	5000-4-4 1/4" FP x 1/4" FP
39-4247	5000-6-4 3/8" FP x 1/4" FP
39-3248	5000-6-6 3/8" FP x 3/8" FP
39-3247	5000-8-8 1/2" FP x 1/2" FP
39-4248	5000-12-8 3/4" FP x 1/2" FP
39-3246	5000-12-12 3/4" FP x 3/4" FP
39-4249	5000-16-12 1" FP x 3/4" FP
39-4250	5000-16-16 1" FP x 1" FP
39-4251	5000-20-16 1-1/4" FP x 1" FP
39-4252	S5000-20-20 1-1/4" FP x 1-1/4" FP
39-4253	5000-24-24 1-1/2" FP x 1-1/2" FP
39-4254	5000-32-32 2" FP x 2" FP




Available in carbon and stainless steel.

## HOLLOW HEX PLUG HYDRAULIC ADAPTERS - 5406

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3325	5406-HHP-4 1/4" Plug
39-3238	5406-HHP-6 3/8" Plug
39-3237	5406-HHP-8 1/2" Plug





39-3326	5406-HHP-10 5/8" Plug
39-3327	5406-HHP-12 3/4" Plug
39-3328	5406-HHP-16 1" Plug
39-3329	5406-HHP-20 1-1/4" Plug
39-3330	5406-HHP-24 1-1/2" Plug
39-3331	5406-HHP-32 2" Plug



Available in carbon and stainless steel.

## JIC CAPS AND PLUGS

These adapters conform to SAE J514, MS51500, and MS51534 specifications.


### 304C

NUMBER	DESCRIPTION
39-3240	304C-4 1/4" FJIC Cap
39-3103	304C-6 3/8" FJIC Cap
39-3241	304C-8 1/2" FJIC Cap
39-4242	304C-10 5/8" FJIC Cap
39-3106	304C-12 3/4" FJIC Cap
39-4243	304C-16 1" FJIC Cap



39-4244	304C-20 1-1/4" FJIC Cap
39-4245	304C-24 1-1/2" FJIC Cap
39-4246	304C-32 2" FJIC Cap

## 2408

NUMBER	DESCRIPTION	
39-4003	2408-4 1/4" JIC Plug	
39-3104	2408-6 3/8" JIC Plug	
39-4004	2408-8 1/2" JIC Plug	
39-4005	2408-10 5/8" JIC Plug	
39-4006	2408-12 3/4" JIC Plug	
39-4007	2408-16 1" JIC Plug	
39-4008	2408-20 1-1/4" JIC Plug	
39-4009	2408-24 1-1/2" JIC Plug	
39-4010	2408-32 2" JIC Plug	

Available in carbon and stainless steel.

## FEMALE PIPE TEE HYDRAULIC ADAPTERS - 5605

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION	
39-4056	5605-4 1/4" FP Tee	

39-4057	5605-6 3/8" FP Tee
39-4058	5605-8 1/2" FP Tee
39-3203	5605-12 3/4" FP Tee
39-4059	5605-16 1" FP Tee
39-4060	5605-20 1-1/4" FP Tee
39-4061	5605-24 1-1/2" FP Tee
39-4062	5605-32 2" FP Tee



Available in carbon and stainless steel.

## MALE JIC TEE HYDRAULIC ADAPTERS - 2603

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-4063	2603-4 1/4" MJIC Tee
39-4064	2603-6 3/8" MJIC Tee
39-4065	2603-8 1/2" MJIC Tee
39-4066	2603-12 3/4" MJIC Tee
39-3207	2603-16 1" MJIC Tee
39-4067	2603-20 1-1/4" MJIC Tee
39-4068	2603-24 1-1/2" MJIC Tee
39-4069	2603-32 2" MJIC Tee



Available in carbon and stainless steel.

# MALE PIPE BRANCH TEE HYDRAULIC ADAPTERS - 5604

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-4098	5604-4 1/4" Male Branch Tee
39-3198	5604-6 3/8" Male Branch Tee
39-4099	5604-8 1/2" Male Branch Tee
39-3398	5604-12 3/4" Male Branch Tee
39-4100	5604-16 1" Male Branch Tee
39-4101	5604-20 1-1/4" Male Branch Tee
39-4102	5604-24 1-1/2" Male Branch Tee
39-4103	5604-32 2" Male Branch Tee



Available in carbon and stainless steel.

## JIC TO PIPE BRANCH TEE - 2601

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3056	2601-4-4-2 1/4" MJ x 1/4" MJ x 1/8" MP Tee
39-3057	2601-4-4-4 1/4" MJ x 1/4" MJ x 1/4" MP Tee
39-3058	2601-4-4-6 1/4" MJ x 1/4" MJ x 3/8" MP Tee

39-3059	2601-6-6-4 3/8" MJ x 3/8" MJ x 1/4" MP Tee
39-3060	2601-6-6-6 3/8" MJ x 3/8" MJ x 3/8" MP Tee
39-3061	2601-8-8-8 1/2" MJ x 1/2" MJ x 1/2" MP Tee
39-3062	2601-12-12-12 3/4" MJ x 3/4" MJ x 3/4" MP Tee
39-3063	2601-16-16-16 1" MJ x 1" MJ x 1" MP Tee
39-3064	2601-20-20-20 1-1/4" MJ x 1-1/4" MJ x 1-1/4" MP Tee
39-3065	2601-24-24-24 1-1/2" MJ x 1-1/2" MJ x 1-1/2" MP Tee



Available through 2" in carbon and stainless steel.

## JIC TO PIPE RUN TEE - 2605

These adapters conform to SAE J514, MS51500, and MS51534 specifications.

NUMBER	DESCRIPTION
39-3075	2605-4-2-4 1/4" MJ x 1/8" MP x 1/4" MJ Tee
39-3076	2605-4-4-4 1/4" MJ x 1/4" MP x 1/4" MJ Tee
39-3077	2605-6-4-6 3/8" MJ x 1/4" MP x 3/8" MJ Tee
39-3078	2605-6-6-6 3/8" MJ x 3/8" MP x 3/8" MJ Tee
39-3079	2605-8-8-8 1/2" MJ x 1/2" MP x 1/2" MJ Tee
39-3080	2605-12-12-12 3/4" MJ x 3/4" MP x 3/4" MJ Tee
39-3081	2605-16-16-16 1" MJ x 1" MP x 1" MJ Tee



Available through 2" in carbon and stainless steel.

All prices are in USD. Copyright 2016 ARONSON Manufacturing .7640 Gloria Ave Van Nuys CA 91406 (818)-787-5160