




Suction Hoses

SUCTION HOSE

PVC WATER SUCTION HOSE. ALL FLEXIBLE PVC HOSE WITH GREEN HELIX. MADE OF HIGH QUALITY VIRGIN MATERIAL. APPLICATION: WATER, SUCTION AND DISCHARGE FOR INDUSTRIAL AGRICULTURE AND HOUSEHOLD USES. CAN BE USED FOR VARIOUS ABRASIVES AND LIQUIDS.

NUMBER	DESCRIPTION	
15-1172	1" X 100' SUCTION HOSE	
15-1173	1 1/4" X 100' SUCTION HOSE	
15-1174	1 1/2" X 100' SUCTION HOSE	
15-1175	2" X 100' SUCTION HOSE	
15-1176	2 1/2" X 100' SUCTION HOSE	
15-1177	3" X 100' SUCTION HOSE	
15-1178	4" X 100' SUCTION HOSE	
15-1179	6" X 100' SUCTION HOSE	
15-1180	8" X 100' SUCTION HOSE	

**COUPLED WITH NPT PIN LUG
COUPLINGS**

15-1182	1 1/2 X 25'
15-1543	1 1/2 X 50'
15-1544	1 1/2 X 100'
15-1183	2" X 25'
15-1545	2" X 50'
15-1546	2" X 100'
15-1885	2 1/2" X 50'
15-1886	2 1/2" X 100'
15-1887	3" X 50'
15-1888	3" X 100'



**SUCTION HOSE COUPLED MALE X
FEMALE**

ALSO AVAILABLE WITH CAM & GROOVE
FITTINGS

We currently also stock other models of suction
hose re: food grade , rubber suction ,chemical
transfer please call for details

LARGE SIZES WITH 2 BANDS
SMALLER SIZE'S SINGLE BAND

EPDM Rubber Standard Suction Hose

Black EPDM rubber tube with natural poly-ethylene helix, corrugated wall, smooth interior

General Applications


- Transferring light chemical and fertilizer solutions
- Septic solutions

TEMPERATURE RANGE:

-30F TO +140F

STANDARD LENGTHS:

1-1/2" thru 6" 100 feet

NUMBER	DESCRIPTION	
15-2121	1 1/2"	
15-2122	2"	
15-2123	2 1/2"	
15-2124	3"	
15-2125	4"	

Rubber Corrugated Suction Hose

Rubber tube with back PVC helix, corrugated cover, smooth interior.

General Applications


- Material Handling
- Water/light chemical suction and transfer
- Transferring moderate abrasives.

TEMPERATURE RANGE:

-30F TO +140F

STANDARD LENGTHS:

1-1/2" thru 6" 100ft - 8" 50ft

NUMBER	DESCRIPTION	
15-2110	1 1/2"	
15-2112	2"	
15-2113	2 1/2"	
15-2114	3"	
15-2115	4"	
15-1177	3" X 100' SUCTION HOSE	
15-1178	4" X 100' SUCTION HOSE	
15-1179	6" X 100' SUCTION HOSE	
15-1180	8" X 100' SUCTION HOSE	

Oil Resistant Corrugated PVC Suction

Hose

Orange PVC with white helix. Corrugated wall, smooth interior

General Applications


- General suction of light oils and animal fats
- Good for use in environments where hose may be exposed to oils
- Vapor recovery

TEMPERATURE RANGE:

-10F TO +130F

STANDARD LENGTHS:

1-1/2" thru 4" 100 feet

NUMBER	DESCRIPTION	
15-2116	1 1/2"	
15-2117	2"	
15-2118	2 1/2"	
15-2119	3"	
15-2120	4"	

Rubber Standard Suction Hose

Rubber tube with back PVC helix, smooth cover, smooth interior

General Applications


- Material Handling
- Water/light chemical suction and transfer
- Transferring moderate abrasives

TEMPERATURE RANGE:

-30F TO +140F

STANDARD LENGTHS:

1-1/2" thru 6" 100 feet

NUMBER	DESCRIPTION	
15-2243	1 1/2"	
15-2244	2"	
15-2245	2 1/2"	
15-2246	3"	
15-2247	4"	

PVC FOOD GRADE SUCTION & DISCHARGE HOSE


1" through 12" IDs

GENERAL APPLICATIONS

This FDA approved PVC suction hose is for handling in-plant and/or tank truck transfer of wine, beer, potable water, and other liquid foodstuffs. It conforms to USDA 3A standards for milk hauling and is an excellent choice for service in dairies, wineries, meat and poultry plants as well as numerous other food grade applications.

TEMPERATURE RANGE

-10°F to +130°F

NUMBER	DESCRIPTION	PSI	
47-1100	1" Smooth PVC	100	
47-1125	1-1/4" Smooth PVC	60	
47-1150	1-1/2" Smooth PVC	60	
47-2000	2" Smooth PVC	40	

Contact us for information on sizes not listed.

PVC FOOD GRADE CORRUGATED SUCTION & DISCHARGE HOSE


1" through 12" IDs

GENERAL APPLICATIONS

Corrugated PVC hose should be used where enhanced flexibility is desired. This FDA approved hose is an excellent choice for service in dairies, wineries, meat and poultry plants as well as numerous other food grade applications.

TEMPERATURE RANGE

-10°F to +130°F

NUMBER	DESCRIPTION	PSI	
47-2100	1" Corrugated PVC	35	
47-2125	1-1/4" Corrugated PVC	50	
47-2150	1-1/2" Corrugated PVC	50	
47-2200	2" Corrugated PVC	40	

Contact us for information on sizes not listed.